



---



## Parts List

Thank you for choosing the Polycom® SoundStation IP Multi-Interface Module, a device which allows you to connect two Polycom SoundStation IP 7000 telephones together on a local network.



Multi-Interface Module Quick Start Guide

These items are included in your Multi-Interface Module package. If you are missing any items, contact your Multi-Interface Module reseller.



Power Adapter 10-Pin Network Cable


(Not shown: Country-Specific Power Cord)

---

## Use with Polycom® SoundStation IP 7000

The Multi-Interface Module is intended for use with the SoundStation IP 7000 (not included).

For more information about SoundStation IP 7000 packages, contact your Multi-Interface Module reseller.




SoundStation IP 7000 (Not Included)

---


## Installation

1. Connect one SoundStation IP 7000 unit to a second SoundStation IP 7000 unit, using a Console Interconnect Cable.


**Note:** Console Interconnect Cable is available as a separate accessory and is not included in this package. For more information, contact your Multi-Interface Module reseller.




2. Using the 10-pin network cable included your Multi-Interface Module, connect another SoundStation IP 7000 into the SoundStation IP 7000 port, which is located on the back of the Multi-Interface Module.



3. Using an Ethernet cable, connect a LAN port, located on the front of the Multi-Interface Module, to your local network port.




4. Connect the power adapter into the Multi-Interface Module, as shown below.



## Startup


After it has been installed, the Multi-Interface Module begins a process of establishing itself on the network. When this is complete, the Idle screen is displayed on both SoundStation IP 7000 units (as shown on the right).

For more information, refer to the SoundStation IP 7000 Admin Guide, or contact your system administrator.



SoundStation IP 7000 Idle Screen

## Features



# Warranty, Copyright, Safety Notices

**LIMITED WARRANTY.** Polycom warrants to the end user ("Customer") that this product will be free from defects in workmanship and materials, under normal use and service, for one year from the date of purchase from Polycom or its authorized reseller. Polycom's sole obligation under this express warranty shall be, at Polycom's option and expense, to repair the defective product or part, deliver to Customer an equivalent product or part to replace the defective item, or if neither of the foregoing options are reasonably available, Polycom may, on its sole discretion, refund to Customer the purchase price paid for the defective product. All products that are replaced will become the property of Polycom. Replacement products or parts may be new or reconditioned. Polycom warrants any replaced or repaired product or part for ninety (90) days from shipment, or the remainder of the initial warranty period, whichever is longer.

Products returned for repair must be properly packaged appropriately for safe shipment, and it is recommended that they be insured or sent by a method that provides for tracking of the package. Responsibility for loss or damage does not transfer to Polycom until the returned item is received by Polycom. The repaired or replaced item will be shipped to Customer, at Polycom's expense, not later than thirty (30) days after Polycom receives the defective product, and Polycom will retain risk of loss or damage until the item is delivered to Customer.

**EXCLUSIONS.** Polycom will not be liable under this limited warranty if its testing and examination disclose that the alleged defect or malfunction in the product does not exist or results from:

- Failure to follow Polycom's installation, operation, or maintenance instructions.
- Unauthorized product repair, modification or alteration.
- Unauthorized use of common carrier communication services accessed through the product.
- Abuse, misuse, negligent acts or omissions of Customer and persons under Customer's control; or
- Acts of third parties, acts of God, accident, fire, lightning, power surges or outages, or other hazards.

**WARRANTY EXCLUSIVE.** IF A POLYCOM PRODUCT DOES NOT OPERATE AS WARRANTED ABOVE, CUSTOMER'S SOLE REMEDY FOR BREACH OF THAT WARRANTY SHALL BE REPAIR, REPLACEMENT, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION, TO THE FULL EXTENT ALLOWED BY LAW, THE FOREGOING WARRANTIES AND REMEDIES ARE EXCLUSIVE AND ARE IN LIEU OF ALL OTHER WARRANTIES, TERMS, OR CONDITIONS, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, STATUTE OR OTHERWISE, INCLUDING WARRANTIES, TERMS, OR CONDITIONS OF MERCHANTABILITY FITNESS FOR A PARTICULAR PURPOSE, SATISFACTORY QUALITY, CORRESPONDENCE WITH DESCRIPTION, AND NON-INFRINGEMENT, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. POLYCOM NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE OR USE OF ITS PRODUCTS.

**SERVICE AGREEMENTS.** Please contact your Polycom Authorized Reseller for information about service agreements applicable to your product.

**SOFTWARE SUPPORT.** Polycom will provide support for software running on the Product if all of the following conditions are satisfied:

- The product is under warranty or is covered by a Polycom service contract.
- The product is operating on a Polycom-approved partner platform.
- The product software is the current major version or the next preceding major

## CE Mark R & TTE Directive (EU Only)

Polycom (UK) Ltd tinto prohlášení, že tento Polycom SoundStation IP Multi-Interface Module je ve shodě se zákonnými požadavky a dalšími příslušnými ustanoveními směrnice 1999/5/EC.

Underneath Polycom (UK) Ltd erklærer herved, at følgende udstyr Polycom SoundStation IP Multi-Interface Module overholder de væsentlige krav og er relevante krav i direktiv 1999/5/EC.

Hiermit erkläre Polycom (UK) Ltd, dass sich das Gerät Polycom SoundStation IP Multi-Interface Module in Übereinstimmung mit den grundlegenden Anforderungen und allen übrigen einschlägigen Bestimmungen der Richtlinie 1999/5/EG befindet.

Käesolevaga kirjalik Polycom (UK) Ltd deklareer, et järgmine Polycom SoundStation IP Multi-Interface Module vastastab direktiivi 1999/5/EÜ põhivõtteid ja muud selle direktiiviga seotud olulisi asjakohaseid nõudeid.

Hereby, Polycom (UK) Ltd, declares that this SoundStation IP Multi-Interface Module is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

Por medio de la presente Polycom (UK) Ltd declara que el Polycom SoundStation IP Multi-Interface Module cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 1999/5/CE.

ME THIN TAPROYA Polycom (UK) Ltd AHANEI OTI Polycom SoundStation IP Multi-Interface Module THYMPORINEI TI POKR TI OYXIDHEI AFTHETE KAI TI KORREI SXEITEI DIAFASEI THS OHTIAI EU 1999/5/EC.

Par la présente Polycom (UK) Ltd déclare que j'appareil Polycom SoundStation IP Multi-Interface Module est conforme aux exigences essentielles et à toutes dispositions pertinentes de la directive 1999/5/CE.

Con la presente Polycom (UK) Ltd dichiara che questo Polycom SoundStation IP Multi-Interface Module è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 1999/5/CE.

Här med tyder Polycom (UK) Ltd yfr bytt på Polycom SoundStation IP Multi-Interface Module är i sammanvärd godkännande av väsentliga krav och andra relevanta bestämmelser i direktivet 1999/5/EG.

Ar šo Polycom (UK) Ltd deklari, et dette Polycom SoundStation IP Multi-Interface Module er i samsvar med de grunnleggende krav og øvrige relevante krav i direktiv 1999/5/EF.

**SAFETY AND REGULATORY INFORMATION.** This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interferences received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

Hereby, Polycom, Inc. declares that the products in this manual are CE marked and in compliance with all EU directives and regulations that apply to them including: R&TTE Directive 1999/5/EC. A full copy of the Declaration of Conformity can be obtained from Polycom Ltd., 270 Bath Road, Slough, Berkshire, SL1 4DX, UK.

In accordance with Part 15 of the FCC Rules, the user is cautioned that any changes or modifications not expressly approved by Polycom, Inc. could void the user's authority to operate the equipment.

Operating Ambient Conditions: Operating temperature: +32 to 104°F (0 to 40°C); Relative humidity: 20% to 85%, non-condensing; Storage temperature: -22 to +131°F (-30 to 55°C).

Installation must be performed in accordance with all relevant national wiring rules. L'installation doit être exécutée conformément à tous les règlements nationaux applicable au filage électrique.

## Contact Information:

Please contact your Polycom Reseller for assistance.



version (software revisions are labeled as "x.y.z," with the first two digits designating major versions).

- The product software comes with 90-day software warranty, providing for software updates (minor releases/bug fixes).

To continue to receive support, purchasing a maintenance contract is the most economical solution. Requests for software support should be made through the Polycom Reseller from whom the product was purchased.

**LIMITATION OF LIABILITY.** TO THE FULL EXTENT ALLOWED BY LAW, POLYCOM EXCLUDES FOR ITSELF AND ITS SUPPLIERS ANY LIABILITY, WHETHER BASED IN CONTRACT OR TORT (INCLUDING NEGLIGENCE), FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT, SPECIAL, OR PUNITIVE DAMAGES OF ANY KIND, OR FOR LOSS OF PROFITS, REVENUE, OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE SALE, INSTALLATION, MAINTENANCE, USE, PERFORMANCE, FAILURE, OR INTERRUPTION OF ITS PRODUCTS, EVEN IF POLYCOM OR ITS AUTHORIZED RESELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. LIMITS OF LIABILITY TO CONSUMERS, OR THE LIMITATION OF LIABILITY, OR REFUND OF THE PURCHASE PRICE PAID, AT POLYCOM'S OPTION. THIS DISCLAIMER OF LIABILITY FOR DAMAGES WILL NOT BE AFFECTED IF ANY REMEDY PROVIDED HEREIN SHALL FAIL OF ITS ESSENTIAL PURPOSE.

**DISCLAIMER.** Some countries, states, or provinces do not allow the exclusion or limitation of implied warranties or the limitation of incidental or consequential damages for certain products supplied to consumers, or the limitation of liability for personal injury, so the above limitations and exclusions may be limited in their application to you. When the implied warranties are not allowed to be excluded in their entirety, they will be limited to the duration of the applicable written warranty. This warranty gives you specific legal rights which may vary depending on local law.

**GOVERNING LAW.** This Limited Warranty and Limitation of Liability shall be governed by the laws of the State of California, U.S.A., and by the laws of the United States, excluding their conflicts of laws principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty and Limitation of Liability. All rights reserved under International and Pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent from Polycom, Inc. Do not remove (or allow anybody else to remove) any product identification, copyright or other notices. Polycom, the Polycom logo design, and SoundStation are trademarks of Polycom, Inc. in the U.S. and various other countries.

**COPYRIGHT.** All rights reserved under International and pan-American Copyright Conventions. No part of the contents of this manual may be copied, reproduced, or transmitted in any form or by any means, or translated into another language or format, in whole or part, without written consent of Polycom, Inc. Polycom® and the logo design are registered trademarks and Polycom SoundStation IP Multi-Interface Module is a trademark of Polycom, Inc. in the United States and in various other countries. Do not remove (or allow any third party to remove) any product identification, copyright or other notices.

Šio Polycom (UK) Ltd deklaruojama, kad šis Polycom SoundStation IP Multi-Interface Module atitinka esminius reikalavimus ir kitas 1999/5/EB direktyvos nuostatas.

Hierbij verklaart Polycom (UK) Ltd dat het toestel Polycom SoundStation IP Multi-Interface Module overeenstemt met de essentiële eisen en de andere relevante bepalingen van richtlijn 1999/5/EG.

Hannebek Polycom (UK) Ltd, jedivodi (i) dan Polycom SoundStation IP Multi-Interface Module jikkom-forma mal-hibij esensialu i a piddokheran otrajn relevantni i hemm lid-Direttiva 1999/5/EC.

Aullirrit, Polycom (UK) Ltd nylakkojko, hoga a Polycom SoundStation IP Multi-Interface Module megjellet a vonatkozó alapvető követelményeknek és az 1999/5/EC irányelv egyéb előírásainak.

Polycom (UK) Ltd erklærer herved at utstyret Polycom SoundStation IP Multi-Interface Module er i samsvar med de grunnleggende krav og øvrige relevante krav i direktiv 1999/5/EF.

Ninelekyg Polycom (UK) Ltd oviawdzca, ze Polycom SoundStation IP Multi-Interface Module jest zgodne z zasadniczymi wymaganiami oraz innymi stosownymi postanowieniami Dyrektywy 1999/5/UE.

Polycom (UK) Ltd declara que este Polycom SoundStation IP Multi-Interface Module está conforme com os requisitos essenciais e outras disposições da Directiva 1999/5/CE.

Polycom (UK) Ltd deklari, da je Polycom SoundStation IP Multi-Interface Module v skladu z bistvenimi zahtevami in ostalimi relevantnimi določili direktive 1999/5/EC.

Polycom (UK) Ltd šimoj vyhtasuje, že Polycom SoundStation IP Multi-Interface Module spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 1999/5/ES.

Polycom (UK) Ltd vykukuttaa tätä että Polycom SoundStation IP Multi-Interface Module täyttäännäillit olennaiset vaatimukset ja muut tämän direktiivin mukaiset edellytykset.

Härmed intygar Polycom (UK) Ltd att denna Polycom SoundStation IP Multi-Interface Module står i överensstämmelse med de väsentliga kraven på apparat och övriga relevanta bestämmelser som framgår av direktivet 1999/5/EG.

The outlet to which this apparatus is connected must be installed near the equipment and must always be readily accessible. La prise électrique à laquelle l'appareil est branché doit être installée près de l'équipement et doit toujours être facilement accessible.

This Class A digital apparatus complies with Canadian ICES-003. Cet appareil numérique de la classe [A] sera conforme à la norme NMB-003 du Canada.

To avoid electric shock, do not connect safety extra low voltage (SELV) circuits to telecommunication station network (TNV) circuits. LAN ports contain SELV circuit, and WAN ports contain TNV circuits. Some LAN and WAN ports both use RJ-45 connectors. Use caution when connecting cables.

This product is rated 48Vdc, 0.63A. When used with the optional external power supply, the power supply shall be a Listed power supply with a LPS output, rated 48V, min. 0.63A.

Afin d'éviter les chocs électriques, ne pas connecter de circuits de tension extrabasse de sécurité (SELV) à des circuits de réseau de stations de télécommunication (TNV). Les ports LAN contiennent un circuit SELV et les ports WAN contiennent des circuits TNV. Certains ports LAN et WAN utilisent tous deux des connecteurs RJ-45. Faites preuve de prudence lors de la connexion des câbles. Ce produit a les caractéristiques suivantes : 48Vdc, 0.63A. Lorsqu'il est utilisé avec le bloc d'alimentation externe facultatif, FSP030-DGAA5, ou une alimentation semblable, l'alimentation électrique doit être représentée et munie d'une sortie LPS, possédant les caractéristiques suivantes : 48Vdc, 0.63A min.

Australia Warning: This equipment will be inoperable when mains power fails.

Japan:

この装置は、クラスA 情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。

http://www.polycom.com

Polycom, Inc. 6001 America Center Drive, San Jose, CA 95002 USA