

Polycom® Trio™ VisualPro Software

For use with Polycom® Trio™ VisualPro or RealPresence Group Series 310/500 in Trio mode.

Polycom announces the new release of Polycom® Trio™ VisualPro software.



Use software version 6.2.1.2 when pairing Polycom Trio VisualPro or Polycom® RealPresence® Group Series 310 and 500 systems with Polycom Trio™ 8500 and 8800 systems version 5.7.2AB or later. (Your RealPresence Group Series system must also be hardware version 20 or later.)

This document provides the latest information on the following Polycom software:

- Version 6.2.1.2 of the Trio VisualPro software
- Version 2.2.0 of the Polycom® EagleEye™ Director II camera software
- Version 1.2.2.2 of the Polycom EagleEye Producer camera software

Contents

What's New	2
Security Updates	2
Install	2
Version History	3
Language Support	3
Resolved Issues	4
Known Issues	4
Limitations	5
Interoperability	7
Polycom Partner Solution Support	11
Get Help	11
Copyright and Trademark Information	12

What's New

There are no new features in this release.

Security Updates

There are no security issues resolved in this release.

For information about known and resolved security vulnerabilities, refer to the [Polycom Security Center](#).

Install

You have two options for installing Trio VisualPro software 6.2.1.2.

- Do one of the following:
 - Download the 6.2.1.2 software from the Polycom Trio 8800 or Polycom Trio 8500 page at support.polycom.com.
 - In the Trio VisualPro or RealPresence Group Series system web interface, go to **Admin Setting > General Settings > Software Updates > Software Server** and enter this URL:
<https://downloads.polycom.com/video/trio-integration>.

Hardware and Software Requirements

The following sections list the supported hardware and software versions when integrating accessories and peripherals with Trio VisualPro or RealPresence Group Series systems.

Integrating Polycom Trio with RealPresence Group Series

Your RealPresence Group Series system must be hardware version 20 or later to pair with a Polycom Trio system. For information on verifying your hardware, see the [Polycom Trio with Polycom RealPresence Group Series Integration Guide](#).

If you are using Trio VisualPro software 6.1.8 or 6.1.9, make sure your Polycom Trio system uses 5.7.1AB.

Integrating EagleEye Producer

Updates to EagleEye Producer software are included with Trio VisualPro software updates. To integrate your EagleEye Producer, connect it to the Trio VisualPro or RealPresence Group Series system before you update. The EagleEye Producer camera is detected and updated if necessary. No license number or key code is needed to update the camera.

The camera must run a software version that is compatible with the version on the system to function properly. The EagleEye Producer camera version 1.2 is compatible with version 6.0.0 and later of the endpoint. For more information, refer to the current Polycom Supported Products matrix at Polycom Service Policies.

Version History

<i>Release</i>	<i>Release Date</i>	<i>Features</i>
6.2.1.2	August 2019	Includes minor updates and resolved issues.
6.2.1.1	June 2019	Includes minor updates and resolved issues.
6.2.1	May 2019	Includes Upgrading Polycom Trio VisualPro Software, Daisy-Chaining Microphones for Polycom Trio VisualPro, Enable Content Display in Dual Monitors.
6.2.0	December 2018	This release includes important field fixes.
6.1.10	November 2018	Includes the ability to use Polycom Trio system and paired Trio VisualPro or RealPresence Group Series system microphones simultaneously. Also, you can hear audio from content shared through an HDMI connection.
6.1.9	October 2018	Includes support for the Polycom Trio VisualPro system. Also, the RealPresence Group Series system automatically prioritizes the voice VLAN when you enable LLDP so you can successfully pair it with a Polycom Trio system.
6.1.8	September 2018	Includes integration between RealPresence Group Series 310 and 500 systems and Polycom Trio 8500 and 8800 systems. The location of the Skype Mode setting in the RealPresence Group Series system web interface has changed to following page: Admin Settings > General Settings > System Mode .

Language Support

The Trio VisualPro and RealPresence Group Series system web interface provides support for the following languages:

- Arabic
- Chinese (Simplified)
- Chinese (Traditional)
- British English
- American English
- French
- German
- Hungarian
- Italian

- Japanese
- Korean
- Norwegian
- Polish
- Portuguese (Brazilian)
- Russian
- Spanish

Resolved Issues

There are no resolved issues for this release.

Known Issues

The following table lists known issues in all releases of Polycom Trio VisualPro Software.

Known Issues

<i>Category</i>	<i>Issue ID</i>	<i>Description</i>	<i>Workaround</i>
Audio	EN-111324	During a call, the mute status of your paired Polycom Trio system may change if you disconnect or connect a Polycom Microphone Array.	Press the mute button on your Polycom Trio system to get back to the audio state you want.
Audio	EN-111245	You won't hear audio if you select TV speakers on the Polycom Trio system menu and don't have microphones connected to the paired Trio VisualPro or RealPresence Group Series system.	Restart the Polycom Trio system (both systems will reboot).
Configuration	EN-111215	You cannot wake a Trio VisualPro or RealPresence Group Series system that's in Polycom Trio Mode but not yet paired after it goes to sleep.	Perform a factory restore on the Trio VisualPro or RealPresence Group Series system. Then, complete the out-of-box process and pair it with your Polycom Trio system.
Interoperability	EN-105966	After a software upgrade or downgrade, the Polycom Trio system diagnostics may still show the previous version that was running on the paired Trio VisualPro or RealPresence Group Series system.	Restart the Polycom Trio system (both systems will reboot).

<i>Category</i>	<i>Issue ID</i>	<i>Description</i>	<i>Workaround</i>
Interoperability	EN-106010	If you connect a new Polycom camera to a Trio VisualPro or RealPresence Group Series system while the paired system is on, your Polycom Trio system does not detect the camera.	Restart the Polycom Trio system (both systems will reboot).
Interoperability	EN-109039	To make a call between RealPresence Group Series system and VVX business Media Phones, set the packetization mode to default in VVX phone.	No workaround available
Peripherals	EN-93073	When a Trio VisualPro or RealPresence Group Series system is paired with a Polycom Trio system, the camera fails to detect after you disconnect and reconnect the camera.	Restart the Trio VisualPro or RealPresence Group Series system with the camera attached.
Video	EN-97283	In point-to-point Skype for Business calls above 2 Mbps, the paired Trio VisualPro or RealPresence Group Series system displays pixelated video.	Place Skype for Business-related calls with a bandwidth lower than 2 Mbps.
Video	EN-96468	When your Trio VisualPro or RealPresence Group Series system is paired with a Polycom Trio system, you may see a blue screen instead of self view if you're using an EagleEye Acoustic camera.	Reconnect the camera.
Video	EN-92998	In a point-to-point call using a paired Trio VisualPro or RealPresence Group Series system, when an audio call is changed to a video call or vice versa, the video fails to display for one of the participants.	Reconnect the camera.

Limitations

The following limitations are present in version 6.2.1.2

3.5mm Audio Input

Connecting a microphone to the 3.5mm input on your paired Trio VisualPro or RealPresence Group Series system works only if you do the following:

- Select TV speakers on your Polycom Trio system phone menu or set `up.audio.networkedDeviceLayout="TvOnly"`.
- Connect Polycom tabletop and/or ceiling microphones to your paired video and content system.

Sharing Content Using Polycom Pano App or Polycom People+Content IP

The following limitations are present when sharing content to your paired Polycom Trio system using the Polycom® Pano™ App or Polycom® People+Content™ IP:

- Neither of these content-sharing technologies works during a Skype for Business call (though you can share when the Polycom Trio system isn't in a call).
- You cannot hear audio from the shared content.

Sharing Content Using AirPlay- and Miracast-Certified Devices

When paired with a Trio VisualPro or RealPresence Group Series system, sharing content to the Polycom Trio system with an AirPlay- or Miracast-certified device is not supported.

Sharing Content Using Video-based Screen Sharing

In Skype for Business environments, you can send content using Video-based Screen Sharing (VbSS) only from a device connected to the paired Trio VisualPro or RealPresence Group Series system with an HDMI cable.

Sharing Content Using Skype for Business Clients

Your content may display smaller than you expect when sharing from a Skype for Business client on a device connected to your paired Trio VisualPro or RealPresence Group Series system. This typically occurs when sharing a specific application instead of your desktop or using dual monitors.

The content should display as expected when you share your desktop or use a single monitor.

Sharing Content Using a VGA Connection

You may notice display issues when sharing content from a VGA-connected device using a resolution that isn't 1920x1080.

People as Second Video Input

Configuring the second video input on your Trio VisualPro or RealPresence Group Series system to **People** is not supported; only the **Content** option works.

Single-Monitor Setup

You may encounter display issues if your Trio VisualPro or RealPresence Group Series system is connected to only one monitor.

To avoid these issues, log in to your Trio VisualPro or RealPresence Group Series system web interface and go to **Admin Settings > Audio/Video/Content > Monitors**. Make sure that the **Monitor 2 Enable** setting is **Off**.

Paired RealPresence Group Series Behavior Changes

When your RealPresence Group Series system is paired with a Polycom Trio system, you may notice some changes to what you experience when the system isn't in Polycom Trio Mode.

The following features and peripherals are unavailable when paired:

- Local interface, remote control, touch-monitor capabilities, and the Polycom® RealPresence Touch™ device. (The Polycom Trio system controls what you see on the monitor[s].)
- H.323 calls
- Polycom® SoundStructure®
- Polycom® VisualBoard™
- Polycom® Acoustic Fence™
- Integrator API commands
- Extensive monitor layouts
- RS-232 serial port
- Calendar configuration (done instead through the Polycom Trio system)
- Directory configuration (done instead through the Polycom Trio system)

Cameras

Color reproduction accuracy can vary depending on environmental conditions and camera sensor capabilities.

Interoperability

Video-conferencing systems use a variety of algorithms to compress audio and video. In a call between two systems, each end transmits audio and video using algorithms supported by the other end. In some cases, a system might transmit a different algorithm than it receives. This process occurs because each system independently selects the optimum algorithms for a particular call, and different products might make different selections. This process should not affect the quality of the call.

Products Tested in this Release

The Trio VisualPro and RealPresence Group Series systems are tested extensively with a wide range of products. The following list is not a complete inventory of compatible equipment. It simply indicates the products that have been tested for compatibility with this release.

Polycom strives to support any system that is standards-compliant and investigates reports of Polycom systems that are not interoperable with other vendor systems.



Polycom recommends that you upgrade all of your Polycom systems with the latest software versions. Any compatibility issues may already have been addressed by software updates. Go to [PolycomService/support/us/support/service_policies.html](https://polycom.com/service/support/us/support/service_policies.html) to see the Current Polycom Interoperability Matrix.

Products Tested with this Release

<i>Product</i>	<i>Tested Versions</i>
Management Systems, Recorders, Content Servers	
Polycom® ContentConnect™	1.6.2
Polycom® RealPresence® Media Suite™	2.8.2
Polycom® RealPresence® Distributed Media Application™	10.0.0
Polycom® RealPresence® Resource Manager	10.4.0
Gatekeeper, Gateways, External MCU, Bridges, Call Managers	
Polycom® RealPresence® Collaboration Server 1800//2000/4000	8.8.0
Polycom® RealPresence® Collaboration Server 800, Virtual Edition	8.8.0
Polycom® RealPresence® Web Suite Meeting Experience Application (MEA) Server	2.2.2
Polycom® RealPresence® Web Suite Web Services Portal (WSP) Server	2.2.2
Polycom® Workflow Server One Touch Dial (OTD)	1.6.1
Endpoints	
Avaya Scopia XT5000	08.03.07.0051 V8_3_7_51
Cisco DX70/DX650	SIP10.2.5 and CE9.4.1
Cisco DX80	CE9.4.1
Cisco MX300 G2	CE9.4.1
Cisco TelePresence 500-32	6.1.13
Cisco TelePresence C20/C40/C90	TC7.3.14
Cisco TelePresence EX90	TC7.3.14
Cisco TelePresence IX5000	8.1.1.1 and 8.3.1.1
Cisco TelePresence SX10/SX20/SX80	CE9.4.1

<i>Product</i>	<i>Tested Versions</i>
Cisco TelePresence TX1310	6.1.13
Cisco TelePresence TX9000	6.1.13
LifeSize® Express 220	LS_EX2_5.0.9(2)
LifeSize® Icon 600	LS_RM3_2.9.0 (1982)
Polycom® CX5500	1.3.4
Polycom® RealPresence® Debut™	1.3.2
Polycom® RealPresence® Mobile Android	3.9.1
Polycom RealPresence® Mobile IOS	3.9.1
Polycom® RealPresence® Desktop for Windows®	3.9.1
Polycom® RealPresence® Desktop for Mac®	3.9.1
Polycom® RealPresence® Web Suite	3.9.1
Polycom® VVX® Business Media Phones	5.9.0
Polycom Trio™ 8500	5.9.0
Polycom Trio™ 8800	5.9.0
Peripherals	
Polycom EagleEye Director II	2.2.0
Polycom EagleEye Producer	1.2.2.2
Polycom® Pano™ App	1.3.0

Microsoft Interoperability

The Trio VisualPro and RealPresence Group systems support interoperability with the following Microsoft software.

Servers

<i>Product Name</i>	<i>Versions</i>
Microsoft Skype for Business Server 2015 (February 2017)	6.0.9319.516
Microsoft Exchange Server 2016	15.1.1466.3
Microsoft Skype for Business Online	Versions updated regularly and hosted by Microsoft

<i>Product Name</i>	<i>Versions</i>
Microsoft Exchange Server Online	Versions updated regularly and hosted by Microsoft

Clients

<i>Product Name</i>	<i>Versions</i>
Microsoft Skype for Business 2016	16.0.10827.20138
Microsoft Skype for Business - Mac client	16.22.175
Microsoft Skype for Business - Android	6.21.0.24
Microsoft Skype for Business - iOS	6.22.3.2
Polycom Trio™ (with video)	5.7.2AB
Polycom® RealConnect™ Solution	Supported
Skype Room System v2	Not supported

Supported Browsers and Operating Systems

The Trio VisualPro and RealPresence Group Series system web interface is supported on the following browsers and operating systems:

- Windows® Internet Explorer 10 or 11 on Windows 8
- Apple® Safari® 9.0.3 on Mac OS® X (Yosemite)
- Mozilla Firefox 44 on Windows 8

Supported Peripherals

The Trio VisualPro and RealPresence Group Series systems support the following peripherals:

- Polycom EagleEye Cube HDCI camera
- Polycom EagleEye Producer camera
- Polycom EagleEye Director II camera
- Polycom EagleEye IV camera
- Polycom EagleEye Acoustic camera
- Polycom® Microphone Array
- Polycom® Ceiling Microphone Array

For specific version support information, see [Products Tested in this Release](#).

Polycom Partner Solution Support

Polycom provides interoperability and support resources for partner providers. You can find resources for the following partners at the [Strategic Partner Solutions](#) page on Polycom Support:

- [Polycom Unified Communications Solution for BlueJeans](#)
- [Polycom Unified Communications Solution for BroadSoft Environments](#)
- [Polycom Unified Communications Solution for Microsoft Environments](#)
- [Polycom Interop Solutions for Zoom Environments](#)

Get Help

For more information about installing, configuring, and administering Polycom products, refer to [Polycom Support](#).

For information about Polycom partner solutions, see [Polycom Global Strategic Partner Solutions](#).

Copyright and Trademark Information

Copyright© 2019, Polycom, Inc. All rights reserved. No part of this document may be reproduced, translated into another language or format, or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Polycom, Inc.

6001 America Center Drive
San Jose, CA 95002
USA

Trademarks

Polycom®, the Polycom logo and the names and marks associated with Polycom products are trademarks and/or service marks of Polycom, Inc. and are registered and/or common law marks in the United States and various other countries.



All other trademarks are property of their respective owners. No portion hereof may be reproduced or transmitted in any form or by any means, for any purpose other than the recipient's personal use, without the express written permission of Polycom.

Disclaimer

While Polycom uses reasonable efforts to include accurate and up-to-date information in this document, Polycom makes no warranties or representations as to its accuracy. Polycom assumes no liability or responsibility for any typographical or other errors or omissions in the content of this document.

Limitation of Liability

Polycom and/or its respective suppliers make no representations about the suitability of the information contained in this document for any purpose. Information is provided "as is" without warranty of any kind and is subject to change without notice. The entire risk arising out of its use remains with the recipient. In no event shall Polycom and/or its respective suppliers be liable for any direct, consequential, incidental, special, punitive or other damages whatsoever (including without limitation, damages for loss of business profits, business interruption, or loss of business information), even if Polycom has been advised of the possibility of such damages.

End User License Agreement

BY USING THIS PRODUCT, YOU ARE AGREEING TO THE TERMS OF THE END USER LICENSE AGREEMENT (EULA) AT: <http://documents.polycom.com/indexes/licenses>. IF YOU DO NOT AGREE TO THE TERMS OF THE EULA, DO NOT USE THE PRODUCT, AND YOU MAY RETURN IT IN THE ORIGINAL PACKAGING TO THE SELLER FROM WHOM YOU PURCHASED THE PRODUCT.

Patent Information

The accompanying product may be protected by one or more U.S. and foreign patents and/or pending patent applications held by Polycom, Inc.

Open Source Software Used in this Product

This product may contain open source software. You may receive the open source software from Polycom up to three (3) years after the distribution date of the applicable product or software at a charge not greater than the cost to Polycom of shipping or distributing the software to you. To receive software information, as well as the open source software code used in this product, contact Polycom by email at OpenSourceVideo@polycom.com.

Customer Feedback

We are striving to improve our documentation quality and we appreciate your feedback. Email your opinions and comments to DocumentationFeedback@polycom.com.

Polycom Support

Visit [Polycom Support](#) for End User License Agreements, software downloads, product documents, product licenses, troubleshooting tips, service requests, and more.